

Certificate of Analysis



Certificate Number: 16-019800C2

Client:

ROVING BLUE INC
5220 ST PATRICKS RD
Lena WI 54139
UNITED STATES

Report Date: December 08, 2016

This report has been edited for brevity.

Sample Information:

SGS Sample Identification: MW16-13650.001
Client Sample Identification: Roving Blue O-Pen
Sample Description: PX/2015/B002401
Received: October 14, 2016

Test Article Description:

Four Ozone Pens were received and were kept at room temperature until use. The pen serial numbers were as follows:

S-007-09-01 S-006-09-01
S-011-09-01 S-008-09-01

Protocol Overview:

Functional testing was conducted using the following recommended organism:
Staphylococcus aureus ATCC 25923

The pens were tested against the organism diluted in 1X PBS at a concentration of approximately 1.2×10^6 along with a blank PBS as a sterility/negative control. The test was done in a single replicate. The objective of this study was to determine the effect of the ozone pens against the above organism.

Reading the Results

The plates were read after 48 hour incubation and the CFU per plate was recorded and the CFU/ml was calculated.

Quality Control

A control flask containing 1X PBS only was used as a negative control.

Results:

Table 1

Organism	Unit	Before	After	Disinfection Rate (%)	Log Reduction
<i>Staphylococcus aureus</i>	CFU/ml	1.2×10^6	<10	99.9999	5.1

Angela Carlson
Analytical Lab Manager

* Analytical results were determined by a third party laboratory. Information concerning the subcontracted laboratory is available upon request. Liability for the subcontracted results remain with the subcontracted laboratory.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and/or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

The sample condition upon arrival was acceptable for testing unless otherwise noted.

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.